



NO.2117071396



检 查
CNAS IB0071

货物运输条件鉴定书

Certification
for Safe Transport of Chemical Goods

锂电池—符合包装说明967第II部分

样品名称： BTH-500蓝牙扬声器麦克风(内置锂电池AE603448P 3.7V 1000mAh)

Sample name: BTH-500

委托单位： 山西建宇科技有限公司
SHANXI JIANYU Science and technology co., LTD.

生产单位： 山西建宇科技有限公司
SHANXI JIANYU Science and technology co., LTD.



上海化工研究院检测中心
(上海天科化工检测有限公司)

Shanghai Research Institute of Chemical Industry Testing Centre
(Shanghai TECH. Chemical Industry Testing Co.,Ltd)



声 明 Statement

1. 鉴定书无上海化工研究院检测中心公章、二维码无效。
The certification is invalid if it is not affixed the Official seal and QR Code of Shanghai Research Institute of Chemical Industry Testing Centre on it.
2. 鉴定书复印件无效。
Copies of the certification are invalid.
3. 鉴定书（除磁性检测）无主检、审核、批准签字无效。磁性检测鉴定书无主检、批准签字无效。
The certification (except magnetized material) is invalid without the signatures of appraiser, checker and approver. The certification of magnetized material is invalid without the signatures of appraiser and approver.
4. 鉴定书涂改无效。
The certification is invalid if it is forged or altered.
5. 送检单位必须保证送至本中心的样品及资料与真实的出运货物相一致，如有不符，所涉及的法律责任及其他后果均由送检单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本鉴定书的鉴定结论仅对客户所送样品负责。
The conclusion of this certification is only responsible for the sample provided by the client.
7. 本鉴定书当年有效，铁路运输方式除外。特殊情况参见报告备注。
The certification is valid in the year subscribed on it except when transported by rail. Please refer to the comment of Certification on special occasion.
8. 本鉴定书不考虑国家及经营人差异。
The certification takes no account of the State and Operator Variations.
9. 本中心的法律责任由上海天科化工检测有限公司承担。
Shanghai TECH. Chemical Industry Testing Co., Ltd undertakes the legal responsibility of our testing centre.
10. 鉴定结果中的运输方式应与货物的运输方式相一致，不同的运输方式，鉴定结果可能会有差异。
The transportation mode of goods should be the same as the mode in the certification because different transportation modes may have different conclusions.
11. 鉴定书真伪性可登入本中心网站 <http://www.ghs.cn> 查询。
The authenticity of the certification can be checked via our website: <http://www.ghs.cn>.
12. 送检申请可登入本中心网站 <http://www.ghs.cn> 进行网上委托。
The application of the certification can be done via our website: <http://www.ghs.cn>.

地址：上海市云岭东路345号西大门营业厅

Address: West Entrance, Shanghai Research Institute of Chemical Industry, No.345
East Yunling Road, Shanghai, China.

邮编 (Post code): 200062

电话 (Tel): (008621)52569800; 52815377-0713, 0714, 0717, 0718

传真 (Fax): (008621)52815377-0716

Email: center@ghs.cn; sjmsds@vip.163.com

网址: www.ghs.cn

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2117071396

Page 1/3

样品名称 Sample name	中文 Chinese	BTH-500蓝牙扬声器麦克风(内置锂电池AE603448P 3.7V 1000mAh)		
	英文 English	BTH-500		
委托单位 Consignor		山西建宇科技有限公司 SHANXI JIANYU Science and technology co., LTD.		
生产单位 Manufacturer		山西建宇科技有限公司 SHANXI JIANYU Science and technology co., LTD.		
检验方法、程序 Inspection method and procedure		国际航空运输协会《危险品规则》58版 IATA Dangerous Goods Regulations (DGR) 58th Edition		
样品外观 Sample appearance		黑色塑胶外壳 Black Plastics cement shell		
包装件信息 Package information		锂电池总净重≤5kg. Lithium batteries total net weight≤5kg.		
序号 NO.	电池种类 Battery type	型号 -Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂离子单电芯电池 Rechargeable Li-ion single cell battery	AE603448P	1000mAh 3.7Wh	安装在设备内 Contained in equipment
鉴定 结论	1. 危险性识别 (Hazards identification) 锂离子电池。 Lithium ion battery.			
	2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) 该物品满足包装说明967基本要求和第II部分的规定。 The goods meet the requirements in General Requirements and section II of Packaging Instruction 967.			
	3. 包装要求 (Packaging requirements) 按包装说明967第II部分要求办理。 The goods are packaged according to the Packaging Instruction 967 section II.			
	检验日期: Inspection Date: 2017-08-28 签发日期: Issue Date: 2017-08-28 生效日期: Valid Date: 2017-08-28			
备注 Comment		磁性另检。		

批准
Approver: 张小明

审核
Checker: 董学胜

主检
Appraiser: 许强



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2117071396

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	本报告所述锂电池按照《危险品规则》(58版) 3.9.2.6(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 58th 3.9.2.6(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
3	设备装入由适当材料构造的坚固的刚性外包装内。 The equipment is packed in strong rigid outer packagings constructed of suitable material.
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动, 并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.
5	—当使用航空货运单时, 如果托运货物中有贴锂电池标记的包装件, 那么必须在“货物名称和数量”栏注明“锂离子 电池符合包装说明967第II部分”。 —Where a consignment includes packages bearing the lithium battery mark, the words “lithium ion batteries in compliance with Section II of PI 967” must be shown in the “Nature and Quantity of Goods” box of the air waybill, when an air waybill is used.
6	每个包装件必须耐久清晰的标识《危险品规则》(58th)图7.1.C所示标记。包装件必须具有足够的尺寸在其一个面上粘贴未被折叠的标记。 本要求不适用于: —包装件仅含有安装在设备(包括线路板)内的钮扣电池; 和 —托运货物不超过2个包装件, 且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。 注: 锂电池操作标签条款, 《危险品规则》(58th)图7.4.H和7.2.4.7可继续使用至2018年12月31日。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR 58th. The package must be of such a size that there is adequate space to affix the mark on one side of the package without the mark being folded. This requirement does not apply to: —packages containing only button cell batteries installed in equipment (including circuit boards); and —consignments of two packages or less where each package contains no more than four cells or two batteries installed in equipment. Note: The provisions for the lithium battery handling label, Figure 7.4.H and 7.2.4.7 in IATA DGR 58th may continue to be used until 2018-12-31.
7	
—验证码:108584—	


上海化工研究院检测中心

Shanghai Research Institute of Chemical Industry Testing Centre

货物运输条件鉴定书
Certification for Safe Transport of Chemical Goods

NO. 2117071396

Page 3/3



报告结束